

Bid price as specified without options as per Federal and State of Ohio Department of Education minimum school bus specifications under 4501-5 (inclusive) ORC. All bids will comply with the current safety regulations of the Department of Education adopted by and with the advice and consent of the director of public safety pursuant to section 4511.76 of the Revised Code and all other pertinent provisions of law. The body/chassis supplier shall provide and attach a complete body/chassis specification sheet itemizing- including manufacturer brand names of the State of Ohio Department of Education minimum school bus body/chassis that will be supplied at this base bid. Must meet or exceed FMVSS/CMVSS standards.

By signing this specification, you guarantee that the equipment being bid meets all state specifications

Cardinal Bus Sales & Service, Inc.

Vendor

1-800-743-4287 Phone Number

Tony Rumer

Contact Person

****Vendor List base price**
(Includes freight)**

District cuts are with their Commitments

Bus Size (Conventional)	35	47	54	65	71/72	77/78	Price if Same for All Sizes
Base Bid - Conventional							
Lift Bus							
Integrated Body Make	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	
Integrated Chassis Make	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	Blue Bird	
Integrated Model	BBCV 1910	BBCV 2311	BBCV 2610	BBCV 3011	BBCV 3303	BBCV 3507	
Base Bid Price - Integrated	No Bid	72249	73340	74272	75243	76718	
Maximum Vehicle Length Bumper to Bumper (inches)		356	394	443	471	478/502	
Maximum Vehicle Width Including Mirrors (inches)		116	116	116	116	116	
Maximum Vehicle Width Excluding Mirrors (inches)		96	96	96	96	96	
GVWR		29000	29000	29000	31000	33000	
Maximum Vehicle Height Overall at GVWR Including Hatch (inches)		124	124	124	124	124	
Maximum Height of First Step (inches)		16	16	16	16	16	
Wheelbase (inches)		193	214	252	273	273/280	
Delivery Days		150	150	150	150	150	
Special Discounts If paid on delivery							
		-200	-200	-200	-200	-200	

Important Notice: On all items below vendor must mark standard (Std), list additional price to base, list duplicated or mark N/A.

BUS SIZE (CONVENTIONAL)	35	47	54	65	71/72	77/78	Price if Same for All Sizes
1 ENGINES AND TRANSMISSIONS AVAILABLE							
2 Cummins ISB13 200HP 520 lb-ft torque/Allison 2500PTS SCR		Std	Std	Std	Std	Std	Std
3 Cummins ISB13 200HP 520 lb-ft torque/Allison 2550PTS SCR		440	440	440	440	440	440
4 Cummins ISB13 220HP 520 lb-ft torque/Allison 2500PTS SCR		873	873	873	873	873	873
5 Cummins ISB13 220HP 520 lb-ft torque/Allison 2550PTS SCR		1313	1313	1313	1313	1313	1313
6 Cummins ISB13 220HP 600 lb-ft torque/Allison 2500PTS SCR		937	937	937	937	937	937
7 Cummins ISB13 220HP 600 lb-ft torque/Allison 2550PTS SCR		1377	1377	1377	1377	1377	1377
8 Cummins ISB13 240HP 560 lb-ft torque/Allison 2500PTS SCR		1440	1440	1440	1440	1440	1440
9 Cummins ISB13 240HP 560 lb-ft torque/Allison 3000PTS SCR		N/A	N/A	N/A	N/A	N/A	N/A
10 Cummins ISB13 240HP 660 lb-ft torque/Allison 2500PTS SCR		N/A	N/A	N/A	N/A	N/A	N/A
11 Cummins ISB13 250HP 660 lb-ft torque/Allison 2500PTS SCR		2177	2177	2177	2177	2177	2177
12 Cummins ISB13 250HP 660 lb-ft torque/Allison 3000PTS SCR		6202	6202	6202	6202	6202	6202
13 Cummins ISB13 260HP 660 lb-ft torque/Allison 2500PTS SCR		2552	2552	2552	2552	2552	2552
14 Cummins ISB13 260HP 660 lb-ft torque/Allison 3000PTS SCR		6577	6577	6577	6577	6577	6577
15 Cummins ISB13 220HP 600 lb-ft torque/Allison 2500PTS SCR		Duplicate	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate
16 Ford 6.8 liter, propane, automatic transmission GAS		N/A	N/A	N/A	N/A	N/A	N/A
17 Ford 6.8 liter, propane, automatic transmission, LPG autogas		7500	7500	7500	7500	7500	7500
18 IC/PSI propane with Automatic Transmission GAS		N/A	N/A	N/A	N/A	N/A	N/A
19 GM propane, automatic transmission GAS		N/A	N/A	N/A	N/A	N/A	N/A
20 Cummins ISB G 200hp CNG/Allison 2500PTS		N/A	N/A	N/A	N/A	N/A	N/A
21 Cummins ISB G 220hp CNG/Allison 2500PTS		N/A	N/A	N/A	N/A	N/A	N/A
22 Cummins ISB G 240hp CNG/Allison 2500PTS		N/A	N/A	N/A	N/A	N/A	N/A
23 Transmission push button quadrant Allison 3000 PTS		Std	Std	Std	Std	Std	Std
24 Antifreeze, Extended Life		83	83	83	83	83	83
25 Heated fuel water separator		Std	Std	Std	Std	Std	Std
26 Overcrank starter		N/A	N/A	N/A	N/A	N/A	N/A
27 Quick warm up option		Std	Std	Std	Std	Std	Std
28 Transynd transmission fluid		Std/Diesel	Std/Diesel	Std/Diesel	Std/Diesel	Std/Diesel	Std/Diesel
29 Water filter extended life		103	103	103	103	103	103
30 Exhaust Brake		285	285	285	285	285	285

31	Other:						
32							
33							
34							
100	AIR DRYER						
101	Bendix AD-IP	Std	Std	Std	Std	Std	Std
102	Bendix AD-9	190	190	190	190	190	190
103	Bendix DV-2	61	61	61	61	61	61
104	Meritor	N/A	N/A	N/A	N/A	N/A	N/A
105	Moisture ejector auto	87	87	87	87	87	87
106	Moisture ejector manual (pull chain)	100	100	100	100	100	100
107	Mount air dryer outside of frame rail	N/A	N/A	N/A	N/A	N/A	N/A
108	Other:						
109							
110							
111							
200	ALTERNATOR/COMPRESSOR						
201	Larger alternator 185 amps Leece Neville	N/A	N/A	N/A	N/A	N/A	N/A
202	Larger alternator 200 amps Leece Neville	N/A	N/A	N/A	N/A	N/A	N/A
203	Larger alternator 210 amps Leece Neville	N/A	N/A	N/A	N/A	N/A	N/A
204	Larger alternator 240 amps Leece Neville	Std	Std	Std	Std	Std	Std
205	Larger alternator 270 amps Leece Neville	561	561	561	561	561	561
206	Larger alternator 320 amps Leece Neville	731	731	731	731	731	731
207	Larger air compressor 18.0 cfm	Std	Std	Std	Std	Std	Std
208	Minimum 3 separate reservoirs 3600 cu. In. min.	Std	Std	Std	Std	Std	Std
209	Delco Remy 200 AMP Alternator with 2 year warranty	N/A	N/A	N/A	N/A	N/A	N/A
210	240 Amp Alternator, Circuit Breakers [1]	50	50	50	50	50	50
211	Other:						
212							
213							
214							
300	AXLES/BRAKES/SUSPENSION						
301	30-30 Long stroke chamber and heavy duty spring brake	Std	Std	Std	Std	Std	Std
302	30/30 Regular stroke brake chambers	N/A	N/A	N/A	N/A	N/A	N/A
303	Air Brakes - front. 16.5x4	N/A	N/A	N/A	N/A	N/A	N/A
304	Air Brakes - front. 16.5x5	Std	Std	Std	Std	Std	Std
305	Air Brakes - front. 15 X 5	N/A	N/A	N/A	N/A	N/A	N/A
306	Air Brakes - front. 15 X 4	N/A	N/A	N/A	N/A	N/A	N/A
307	Air Brakes - rear. 16.5x7	Std	Std	Std	Std	Std	Std
308	Air Disc Brakes	1406	1406	1406	1406	1406	1406
309	Automatic slack adjusters, Haldex	257	257	257	257	257	257
310	ABS with Traction Control	336	336	336	336	336	336
311	Automatic slack adjusters, Meritor	Std	Std	Std	Std	Std	Std
312	Differential lock or positraction	N/A	N/A	N/A	N/A	N/A	N/A
313	Parabolic taper leaf	Std	Std	Std	Std	Std	Std
314	Oil lubricated wheelbearings front	Std	Std	Std	Std	Std	Std
315	Hydraulic Brakes. State size:	N/A	N/A	N/A	N/A	N/A	N/A
316	Interlock Brake System, State Brand: Ped-Lock	800	800	800	800	800	800
317	Leveling Valve - front single	Std	Std	Std	Std	Std	Std
318	Leveling Valve - rear single	Std	Std	Std	Std	Std	Std
319	Leveling Valve - rear dual	N/A	N/A	N/A	N/A	N/A	N/A
320	Stemco seals front	Std	Std	Std	Std	Std	Std
321	Stemco seals rear	Std	Std	Std	Std	Std	Std
322	Front heavy duty shocks	Std	Std	Std	Std	Std	Std
323	Rear heavy duty shocks	Std	Std	Std	Std	Std	Std
324	Dust shield front	Std	Std	Std	Std	Std	Std
325	Dust shield rear	Std	Std	Std	Std	Std	Std
326	Brake drums mounted outboard only	Std	Std	Std	Std	Std	Std
327	Synthetic HUD ILO oil	139	139	139	139	139	139
328	Platinum Shield Shoe Lining, Protects Against Rust Jacking	N/A	N/A	N/A	N/A	N/A	N/A
329	Front air suspension. List options: [2]						
330	12,000 lbs	580	580	580	580	580	580
331							
332							
333	Front spring suspension. List options: [3]						
334	8,500 lbs	Std	Std	N/A	N/A	N/A	
335	10,000 lbs	83	83	83	Std	Std	
336							
337	Rear Air Suspension. List options: [4]						
338	21,000 lbs	Std	Std	Std	Std	N/A	
339	23,000 lbs	83	83	83	83	Std	
340							

341	Rear Spring Suspension. List options: [5]						
342	17,000 lbs	-1000	-1000	N/A	N/A	N/A	
343	19,000 lbs	-900	-900	-1000	N/A	N/A	
344	21,000 lbs	N/A	N/A	-870	-1000	N/A	
345	23,000 lbs	N/A	N/A	N/A	-875	-1125	
346	Rear axle 21,000 lbs	Std	Std	Std	Std	N/A	
347	Rear axle 23,000 lbs	N/A	N/A	509	509	Std	
400	BATTERIES/BLOCK HEATERS						
401	1-12 volt 8D. List CCA:	N/A	N/A	N/A	N/A	N/A	N/A
402	2-12 volt 8D. List CCA: 2800 CCA requires HD box line 417	178	178	178	178	178	178
403	2-12 volt 31 S. List CCA:	N/A	N/A	N/A	N/A	N/A	N/A
404	2-12 volt 31 S. List CCA:	N/A	N/A	N/A	N/A	N/A	N/A
405	3-12 volt 31 S. List CCA: 2100 CCA	Std	Std	Std	Std	Std	Std
406	3-12 volt 31 S. List CCA:	N/A	N/A	N/A	N/A	N/A	N/A
407	Block heater plug front mounted plug	Std	Std	Std	Std	Std	Std
408	Block heater plug rear mounted plug	150	150	150	150	150	150
409	Engine block heater 750 watts	Std	Std	Std	Std	Std	Std
410	Espar Heater 45K btu ESPAR	2800	2800	2800	2800	2800	2800
411	Fuel fired heater timer with 7 day timer. List Brand and Model: Webasto Scholastic	1890	1890	1890	1890	1890	1890
412	Smart heater controller. List Brand and Model: Webasto	Included w/411	Included w/411	Included w/411	Included w/411	Included w/411	Included w/411
413	Fuel fired heater timer with toggle switch control. List Brand and Model:	N/A	N/A	N/A	N/A	N/A	N/A
414	Key lock battery box	Std	Std	Std	Std	Std	Std
415	Master electric cutoff switch	115	115	115	115	115	115
416	Stainless battery tray	107	107	107	107	107	107
417	Heavy Duty Battery Box W/ Roller Tray	305	305	305	305	305	305
418	Heavy Duty Battery Box on HD Sliders	Std	Std	Std	Std	Std	Std
419	No Rust Composite Battery Box	N/A	N/A	N/A	N/A	N/A	N/A
420	Other:						
421							
422							
423							
500	BODY STRUCTURE						
501	18" wide interior aisle	N/A	N/A	N/A	N/A	N/A	N/A
502	96" interior width	Std	Std	Std	Std	Std	Std
503	102" exterior width	N/A	N/A	N/A	N/A	N/A	N/A
504	Body Tie Downs: "Texas U-Bolt"	34	34	34	34	34	34
505	Body Tie Downs: Double bolted	N/A	N/A	N/A	N/A	N/A	N/A
506	Chassis made of virgin steel	Std	Std	Std	Std	Std	Std
507	Composite Hood	Std	Std	Std	Std	Std	Std
508	Composite Wheel Wells	N/A	N/A	N/A	N/A	N/A	N/A
509	Heavy duty front tow hooks frame mounted	40	40	40	40	40	40
510	One piece galvanneal bows body structure with surface reinforcement	Std	Std	Std	Std	Std	Std
511	Paint Hood flat black	-25	-25	-25	-25	-25	-25
512	Paint Hood Yellow	Std	Std	Std	Std	Std	Std
513	Roof-White	186	186	186	186	186	186
514	Stainless steel Screws for fenders/body, ext. mirrors, cross gate & stop arm	150	150	150	150	150	150
515	Drip moulding formed in roof panels over windows [6]	Std	Std	Std	Std	Std	Std
	Heavy duty rear tow hooks frame mounted [7]	Std	Std	Std	Std	Std	Std
	Drip Moulding/Rain Deflector Full Body Length [8]	Std	Std	Std	Std	Std	Std
516	Other:						
517							
518							
600	CAMERAS						
601	24/7 with all options installed and working	1350	1350	1350	1350	1350	1350
602	24/7 Digital Video w/ 1 Infrared Camera	1350	1350	1350	1350	1350	1350
603	3 camera heads (specify brand):	N/A	N/A	N/A	N/A	N/A	N/A
604	Cost for a one-camera basic system	1300	1300	1300	1300	1300	1300
605	Decoy "REI" camera, installed	N/A	N/A	N/A	N/A	N/A	N/A
606	Dome camera	N/A	N/A	N/A	N/A	N/A	N/A
607	REI (Bus Watch) camera, digital, installed	1300	1300	1300	1300	1300	1300
608	Seon Design video camera	2500	2500	2500	2500	2500	2500
609	REI Color, digital; 4 cameras (2 front and 2 rear), infrared event marker, hard drive in locked box in driver's area [9]	2400	2400	2400	2400	2400	2400
610	Angel Trax video system, 7 camera (3 outside, 4 inside), Hybrid guest with VSM [10]	4000	4000	4000	4000	4000	4000
	Stop Arm Camera [11]	750	750	750	750	750	750
611	Other Video Camera options, please specify:						
612	ITEM 601 3 CAMERA 24/7 HARD DRIVE W/EVENT MARKER						
613							

614							
615							
616							
700	EMERGENCY DOOR/WINDOW/ROOF HATCH/POWER VENTILATORS						
701	Face mounted emergency window instructions decals on windows - external mounted on window	40	40	40	40	40	40
702	Roof Escape Hatch standard. List Brand: Safe Fleet 1970	Std	Std	Std	Std	Std	Std
703	List quantity of roof hatches included per size of unit:	Two	Two	Two	Two	Two	Two
704	Roof Escape Hatch Lo Profile. List Brand: Safe Fleet 9245	100	100	100	100	100	100
705	List quantity of Lo Profile roof hatches included per size of unit:	None	None	None	None	None	None
706	Roof Escape Hatch Power Ventilated. List Brand: Safe Fleet 1670	540	540	540	540	540	540
707	List quantity of Power Ventilated roof hatches included per size of unit:	None	None	None	None	None	None
708	Power Ventilator. State Brand:						
709	List quantity of power ventilators included per size of unit:						
710	Second Roof Escape Hatch. (District Call vendor for clarification. Refer to State Minimum Standards)						
711	To include Greaseable Door Hinges (Must have Zerk Fittings)	Std	Std	Std	Std	Std	Std
712	Vandal locks with interlock Emergency Door/Window	150	150	150	150	150	150
713	Pushout Emergency Window - horizontal hinged	N/A	N/A	N/A	N/A	N/A	N/A
714	Pushout Emergency Window - vertical hinged	Std	Std	Std	Std	Std	Std
715	Rear Door with Concealed Hinges and Zerk	N/A	N/A	N/A	N/A	N/A	N/A
716	Upholstered header pad mounted above rear door [12]	N/A	N/A	N/A	N/A	N/A	N/A
717	No Rust Composite Emergency Door	N/A	N/A	N/A	N/A	N/A	N/A
718	Other:						
719							
720							
721							
800	SERVICE DOOR/LOCKS						
801	Air-operated heavy duty, outward opening entrance door, full view glass, greaseable hinges	Std	Std	Std	Std	Std	Std
802	Deluxe manual heavy duty, outward opening entrance door, full view glass, greaseable hinges	-180	-180	-180	-180	-180	-180
803	Door hinges, Pin style [13]	N/A	N/A	N/A	N/A	N/A	N/A
804	Door hinges, Butt	Std	Std	Std	Std	Std	Std
805	Electric heavy duty, outward opening entrance door, full view glass, greaseable hinges	N/A	N/A	N/A	N/A	N/A	N/A
806	Manual Vandal lock entrance/service door	49	49	49	49	49	49
807	Paint Entrance Door Yellow	87	87	87	87	87	87
808	Rear Composite E-Door	N/A	N/A	N/A	N/A	N/A	N/A
809	Upholstered header pad mounted above entrance door	N/A	N/A	N/A	N/A	N/A	N/A
810	Vandal lock entrance door air operated only	N/A	N/A	N/A	N/A	N/A	N/A
811	Vandal lock entrance door electric operated only	N/A	N/A	N/A	N/A	N/A	N/A
812	Vandal lock entrance/service door, electrically controlled	N/A	N/A	N/A	N/A	N/A	N/A
813	Vandal locks lift door with interlock	30	30	30	30	30	30
814	Vandal Lock Rear Door - Interlock	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate
815	One piece entry door glass	N/A	N/A	N/A	N/A	N/A	N/A
816	Other:						
817							
818							
819							
900	FLOOR						
901	5/8" 5-ply type CD exterior grade	Std	Std	Std	Std	Std	Std
902	3/4" Marine grade plywood	N/A	N/A	N/A	N/A	N/A	N/A
903	Aluminum floor trim (aisle, other)	Std	Std	Std	Std	Std	Std
904	Flat floor (requires low profile tires, flat floor and rear air suspension or spring suspension. Contact vendor for specifics.)	100	100	100	100	100	100
905	Floor coloring Black	Std	Std	Std	Std	Std	Std
906	Floor coloring Brown	N/A	N/A	N/A	N/A	N/A	N/A
907	Floor coloring Gray	214	214	214	214	214	214
908	Floor coloring Green	N/A	N/A	N/A	N/A	N/A	N/A
909	Floor coloring Light Blue	N/A	N/A	N/A	N/A	N/A	N/A
910	Floor coloring Tan	215	215	215	215	215	215
911	Insulated step well (for sound abatement)	356	356	356	356	356	356
912	Koroseal entire floor [14]	N/A	N/A	N/A	N/A	N/A	N/A
913	Koroseal floor trim	N/A	N/A	N/A	N/A	N/A	N/A
914	Koroseal pebble tread	N/A	N/A	N/A	N/A	N/A	N/A
915	Matching step treads for floors with coloring	Std	Std	Std	Std	Std	Std
916	One piece floor [15]	650	650	650	650	650	650
917	One piece polyethylene composite stepwell	N/A	N/A	N/A	N/A	N/A	N/A
918	Plastic or vinyl floor trim	N/A	N/A	N/A	N/A	N/A	N/A
919	Stainless steel floor trim (aisle, other)	476	476	476	476	476	476
920	Stainless steel stepwell (State steel gauge):	411	411	411	411	411	411
921	SMI Stud step treads, metal backed	174	174	174	174	174	174

922	SMI Stud step treads, non-metal backed		230	230	230	230	230	230
923	Sound Deadening Spray [16]		Std	Std	Std	Std	Std	Std
924	Steel preformed with Proflex [17]		N/A	N/A	N/A	N/A	N/A	N/A
925	Other:							
926								
927								
1000	FUEL TANK, LARGER							
1001	Between frame rail. 100/105 gallon. List gallons:		N/A	N/A	277	277	277	
1002	Between frame rail. 60/65 gallon. List gallons:		Std	Std	Std	Std	Std	Std
1003	Between frame rail. 65 gallon tough coated		N/A	N/A	N/A	N/A	N/A	N/A
1004	Between frame rail. 100 gallon tough coated		N/A	N/A	N/A	N/A	N/A	N/A
1005	Fuel door lock		Std	Std	Std	Std	Std	Std
1006	Fuel door right side access		Std	Std	Std	Std	Std	Std
1007	15 Gallon DEF tank with locking door		Std	Std	Std	Std	Std	Std
1008	Other:							
1009								
1100	GAUGES/SWITCHES/BREAKERS							
1101	12 Volt accessory plug		Std	Std	Std	Std	Std	Std
1102	Ampere gauge to match alternator output		Std	Std	Std	Std	Std	Std
1103	Auto reset safety feature circuit breakers		N/A	N/A	N/A	N/A	N/A	N/A
1104	Chassis Circuit Breakers, Manual Reset ONLY!!		50	50	50	50	50	50
1105	Circuit breakers where available		50	50	50	50	50	50
1106	Clock		Std	Std	Std	Std	Std	Std
1107	Engine hour meter		Std	Std	Std	Std	Std	Std
1108	Transmission oil temperature gauge		Std	Std	Std	Std	Std	Std
1109	Headlight on, key off, alarm		Std	Std	Std	Std	Std	Std
1110	Idle time circuit turned on		Std	Std	Std	Std	Std	Std
1111	Alarm- Backup with 107 dB(A)		N/A	N/A	N/A	N/A	N/A	N/A
1112	Alarm- Backup with 112 dB(A)		Std	Std	Std	Std	Std	Std
1113	Cruise control		Std	Std	Std	Std	Std	Std
1114	Two Spare Circuits - 14 gauge wire [18] Optional Gauge Package. Please specify:		Std	Std	Std	Std	Std	Std
1115			N/A	N/A	N/A	N/A	N/A	N/A
1116								
1200	HEATER, ADDITIONAL LARGER/ AIR CONDITIONING							
1201	Air conditioning – Underbody condenser, 120,000 BTU or greater		8400	8400	8400	8400	8400	8400
1202	Air conditioning – Rooftop condenser, 120,000 BTU or greater		9800	9800	9800	9800	9800	9800
1203	List Standard Heater BTU units cost:							
1204	List Standard Right Front BTU: 50,000		Std	Std	Std	Std	Std	Std
1205	List Standard Left Front BTU: 90,000		Std	Std	Std	Std	Std	Std
1206	List Standard Midship BTU: 50,000		230	230	230	230	230	230
1207	List Standard Rear BTU: 50,000		Std	Std	Std	Std	Std	Std
1208	List Optional Heater BTU units cost:							
1209	List Optional Right Front BTU:		N/A	N/A	N/A	N/A	N/A	N/A
1210	List Optional Left Front BTU:		N/A	N/A	N/A	N/A	N/A	N/A
1211	List Optional Midship BTU: 80,000		460	460	460	460	460	460
1212	List Optional Rear BTU: 80,000		241	241	241	241	241	241
1213	List Optional Rear Wall Mounted BTU: 80,000		258	258	258	258	258	258
1214	50,000 BTU Midship Heater		Duplicate	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate
1215	84,500 BTU Midship Heater		N/A	N/A	N/A	N/A	N/A	N/A
1216	80,000 BTU Rear Heater		Duplicate	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate
1217	Additional kick guards for all passenger area heaters		150	150	150	150	150	150
1218	List cost if driver heater kickguard is additional:		20	20	20	20	20	20
1219	Heater circulating pump. State Brand: Groco		182	182	182	182	182	182
1220	Heater cut-off ball valve all shut offs		Std	Std	Std	Std	Std	Std
1221	Heater pump switch illuminated when on		Std	Std	Std	Std	Std	Std
1222	Passenger heater frame mounted, not floor mounted		N/A	N/A	N/A	N/A	N/A	N/A
1223	Wall mount heater purposely built for vertical mounting on left side rear wall with guard cover over filter [19]		260	260	260	260	260	260
1224	Wall mount heater purposely built for vertical mounting on right side rear wall behind lift with guard and filter [20]		258	258	258	258	258	258
1225	Dash/Drivers/Defroster heater, minimum 89,000 BTUs [21]		N/A	N/A	N/A	N/A	N/A	N/A
1226	Stepwell heater, minimum 50,000 BTUs [22]		Duplicate	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate
1227	All heaters have replaceable filters [23]		Standard	Standard	Standard	Standard	Standard	Standard
1228	Other:							
1229								

1230							
1231							
1232							
1300	INSIDE BODY HEIGHT						
1301	Optional heights available:	N/A	N/A	N/A	N/A	N/A	N/A
1302							
1303							
1304							
1400	INTERIOR COLOR						
1401	Astro White	Std	Std	Std	Std	Std	Std
1402	Beige	N/a	N/a	N/a	N/a	N/a	N/a
1403	Gray	N/a	N/a	N/a	N/a	N/a	N/a
1404	Light Blue	N/a	N/a	N/a	N/a	N/a	N/a
1405	Sea Foam Green	N/a	N/a	N/a	N/a	N/a	N/a
1406	Spring White	N/a	N/a	N/a	N/a	N/a	N/a
1407	Other:						
1408							
1409							
1500	INTERIOR PANELS						
1501	Aluminized interior panels	Std	Std	Std	Std	Std	Std
1502	Modesty/kick panel behind driver's seat	20	20	20	20	20	20
1503	Galvanized Coated Interior Panels	N/A	N/A	N/A	N/A	N/A	N/A
1504	Integrated Composite and Galvaneal Interior Panels	N/A	N/A	N/A	N/A	N/A	N/A
1505	Lower Side Interior Panels are Embossed Steel and Clear Coated	N/A	N/A	N/A	N/A	N/A	N/A
1506	Other:						
1507							
1600	LIGHTS, EXTERIOR						
1601	LED Marker/Clearance lights	Std	Std	Std	Std	Std	Std
1602	LED Tail lights, state size: 4"	30	30	30	30	30	30
1603	LED Brake lights, state size: 7"	21	21	21	21	21	21
1604	LED Backup lights, state size: 4"	53	53	53	53	53	53
1605	LED Turn signal, front fender mounted	68	68	68	68	68	68
1606	LED Turn signal, front 7"	N/A	N/A	N/A	N/A	N/A	N/A
1607	LED Turn signal, side mounted, front	25	25	25	25	25	25
1608	LED Turn signal, side mounted, front and rear	83	83	83	83	83	83
1609	LED Turn signal, rear, state size: 7"	22	22	22	22	22	22
1610	LED backup lights, 7"	115	115	115	115	115	115
1611	LED strobe warning lights	400	400	400	400	400	400
1612	LED Warning lights	388	388	388	388	388	388
	LED package (state package components):						
1613		N/A	N/A	N/A	N/A	N/A	N/A
	Side backup lights LED package (state package components): 4"						
1614		200	200	200	200	200	200
1615	Additional side exterior directional lamps, below window and behind rear wheels	33	33	33	33	33	33
1616	Engine compartment light. State candle power:	150	150	150	150	150	150
1617	Exterior entrance light activated by opening of door	30	30	30	30	30	30
1618	Exterior light check system pre-trip inspection	Std	Std	Std	Std	Std	Std
1619	Fog lamps	125	125	125	125	125	125
1620	Lighted School Bus sign front and rear	N/A	N/A	N/A	N/A	N/A	N/A
1621	Recessed Exterior Lighting for water prevention damage	N/A	N/A	N/A	N/A	N/A	N/A
1622	Soundoff warning lights (price for all 8) [24]	388	388	388	388	388	388
1623	Strobe light high profile	105	105	105	105	105	105
	Strobe light low profile inside power supply. State brand:						
1624		190	190	190	190	190	190
1625	Turn signal front fender mounted dual faced	Std	Std	Std	Std	Std	Std
1626	Warning light sun visors	Std	Std	Std	Std	Std	Std
1627	Tree guard on strobe lamp assembly [25]	23	23	23	23	23	23
1628	Strobe light low profile outside power supply	125	125	125	125	125	125
1629	LED Stepwell Light [26]	90	90	90	90	90	90
1630	LED Exterior Entrance Door Light [27]	55	55	55	55	55	55
1631	Other:						
1632							
1633							
1634							
1700	LIGHTS, INTERIOR/SWITCHES						
1701	Additional dome light over driver's seat with separate switch	Std	Std	Std	Std	Std	Std
1702	Dome lights two rows	Std	Std	Std	Std	Std	Std
1703	Dome lights, LED	293	293	293	293	293	293

1704	Lamp monitor 16 lamp		139	139	139	139	139	139
1705	Lamp monitor 8 lamp		119	119	119	119	119	119
1706	LED capable Monitor. State Brand:		139	139	139	139	139	139
	LED package. Please state package components:							
1707			N/A	N/A	N/A	N/A	N/A	N/A
1708	LED Red lights mounted in ceiling at all emergency windows and exits, controlled by headlight switch		185	185	185	185	185	185
1709	Luggage compartment lights, switch controlled at driver compartment		N/A	N/A	N/A	N/A	N/A	N/A
1710	Red lights mounted in ceiling at all emergency windows and exits, controlled by headlight switch		165	165	165	165	165	165
1711	Warning lamp system, 8 way flashing, Weldon		N/A	N/A	N/A	N/A	N/A	N/A
1712	Door switch on left panel (not on steering wheel) [28]		Std	Std	Std	Std	Std	Std
1713	Warning light switch on left panel [29]		Std	Std	Std	Std	Std	Std
1714	A/C system silent switch [30]		10	10	10	10	10	10
1715	Supplemental warning lamp system, consisting of four (4) lamps: two (2) facing front and two (2) facing rear, LED, each lamp equally split red and white in emitted color; lens color may be clear. Max. candela test point 1,500 candela. Lamp shall not extend more than 1.5" from mounting surface. Illuminated lens area to be at least 2.5 square inches.		700	700	700	700	700	700
1716	Door switch / Ambers on steering wheel		N/A	N/A	N/A	N/A	N/A	N/A
1717	Warning Lamp system, 8 way flashing, Weldon stainless steel 2 wire [31]		N/A	N/A	N/A	N/A	N/A	N/A
1718	Dome Lights: Minimum of 10 total dome lights in the passenger compartment [32]		45	45	45	45	45	45
1719	Dome lamps shall be separately switched with three total switches: one for the driver's dome; one for the front half of the dome lights; and one for the rear half of the dome lights. [33]		55	55	55	55	55	55
1720	Other:							
1721								
1722								
1723								
1800	MANUALS/SOFTWARE							
1801	ABS software		On line	On line	On line	On line	On line	On line
1802	Engine software		500	500	500	500	500	500
1803	Transmission software		600	600	600	600	600	600
1804	All Parts/Service manuals in bound paper format		N/A	N/A	N/A	N/A	N/A	N/A
1805	All Parts/Service manuals in CD format		Std	Std	Std	Std	Std	Std
1806	Diamond Logic Builder Software, license, updates and annual renewal		N/A	N/A	N/A	N/A	N/A	N/A
1807	Laptop computer with all necessary licensing, hardware and software to properly diagnose engines, transmissions, ABS and all related electronic components. The computer should contain enough memory and storage capacity to run all programs including parts catalogs and maintenance and repair programs specific to the vehicles quoted. Eight (8) hours of training on this computer for the mechanics. One thousand dollars (\$1,000.00) will be held back from payment until completion of mechanic's training.		N/A	N/A	N/A	N/A	N/A	N/A
1808	Nexiq Adapter: USB port connection		N/A	N/A	N/A	N/A	N/A	N/A
1809	Other:							
1810								
1811								
1900	MIRRORS, INTERIOR							
1901	10"x16" mirror at rear emergency door interior		N/A	N/A	N/A	N/A	N/A	N/A
1902	Front, 10"x30" with minimum 6"x30" sun visor, tinted		22	22	22	22	22	22
1903	Front, 10"x30" with minimum 6"x30" sun visor, non-tinted		18	18	18	18	18	18
1904	Interior mirror and required extension		N/A	N/A	N/A	N/A	N/A	N/A
1905	Interior rear view mirror 6"x30" non-glare		5	5	5	5	5	5
1906	Prizm mirror mounted inside on rear door		95	95	95	95	95	95
1907	Rear, 12"x18" minimum mounted over rear emergency door		85	85	85	85	85	85
1908	Rear, 18" x 24", mounted over emergency door		90	90	90	90	90	90
1909	8" x 30" in lieu of standard		N/A	N/A	N/A	N/A	N/A	N/A
1910	Backup camera integrated into rear view mirror		700	700	700	700	700	700
1911	Wide front Mirror and Sun Visor [34]		N/A	N/A	N/A	N/A	N/A	N/A
1912	Other:							
1913								
2000	MIRRORS, EXTERIOR							
	All exterior stainless steel mirror brackets with bright finish. List what mirror brackets are covered: All							
2001			52	52	52	52	52	52
2002	Double nickel mirrors		N/A	N/A	N/A	N/A	N/A	N/A
2003	Extended passenger side mirror brackets for double nickel		N/A	N/A	N/A	N/A	N/A	N/A
2004	Mirrorlite Crossview		N/A	N/A	N/A	N/A	N/A	N/A
2005	Mirrorlight mirror		N/A	N/A	N/A	N/A	N/A	N/A

2006	Mirrorlight remote control mirror		N/A	N/A	N/A	N/A	N/A	N/A
2007	Rosco Crossview mirror		Std	Std	Std	Std	Std	Std
2008	Rosco heated mirrors or equal		Std	Std	Std	Std	Std	Std
2009	Rosco heated remote control mirrors or equal		230	230	230	230	230	230
2010	Self-canceling mirror defrost switch		110	110	110	110	110	110
2011	Rosco S/S Motorized Non-Detent		N/A	N/A	N/A	N/A	N/A	N/A
2012	Other:							
2013								
2100	PUBLIC ADDRESS/RADIOS/GPS							
2101	Additional speakers inside – 2		N/A	N/A	N/A	N/A	N/A	N/A
2102	Additional speakers inside – 4		N/A	STD w/radio	STD w/radio	STD w/radio	STD w/radio	
2103	Additional speakers inside – 6		N/A	N/A	N/A	N/A	N/A	N/A
2104	Additional speakers inside – 8		N/A	N/A	N/A	N/A	N/A	N/A
2105	AM/FM/CD Radio with four speakers		N/A	N/A	N/A	N/A	N/A	N/A
2106	AM/FM/CD/PA Radio with four speakers		N/A	N/A	N/A	N/A	N/A	N/A
2107	AM/FM/USB/MP3 with four speakers		-75	-75	-75	-75	-75	-75
2108	AM/FM/USB/MP3/PA with four speakers		1	1	1	1	1	1
2109	AM/FM/CD/USB/MP3 with four speakers		-75	-75	-75	-75	-75	-75
2110	AM/FM/CD/USB/MP3/PA with four speakers		Std	Std	Std	Std	Std	Std
2111	Outside speaker		N/A	N/A	N/A	N/A	N/A	N/A
2112	Outside speaker mounted under hood		30	30	30	30	30	30
2113	Public address system only. List # of speakers: 4<49 8>52		-135	-135	-135	-135	-135	-135
2114	Two-way radio, Motorola CDM750 or equal, with lockable mount and antennae (not mounted in bus)		N/A	N/A	N/A	N/A	N/A	N/A
2115	GPS System. State Brand:		N/A	N/A	N/A	N/A	N/A	N/A
2116	Other:							
2117								
2118								
2200	RADIATOR							
2201	Air Controlled Automatic radiator shutters		565	565	565	565	565	565
2202	Electric fan clutch		Std	Std	Std	Std	Std	Std
2203	Metal bolted tanks		N/A	N/A	N/A	N/A	N/A	N/A
2204	Viscous controlled fan		Std	Std	Std	Std	Std	Std
2205	Winterfront		85	85	85	85	85	85
2206	Fan drive hyd pump and motor with fixed speed and residual torque for disengaging fan speed		N/A	N/A	N/A	N/A	N/A	N/A
2207								
2208	Other:							
2209								
2210								
2300	REFLECTIVE MARKINGS / LETTERING							
2301	"Stay Back 10 Feet" in four inch white-silver material may be applied and centered to the front and rear bumpers. Letters shall be italicized and be of the Helvetica type style and Rear bumper may be marked diagonally forty-five degrees with two inch wide strips of yellow grade five material two inches apart. Must be ordered with "School Bus" lettering above.		N/A	N/A	N/A	N/A	N/A	N/A
2302	6-1/2" stripe at beltline for school district I.D.		220	220	220	220	220	220
2303	Rear bumper diagonally marked forty-five degrees with two inch wide strips of yellow grade five material two inches apart		N/A	N/A	N/A	N/A	N/A	N/A
2304	Other:							
2305								
2306								
2307								
2308								
2309								
2400	RUSTPROOFING/RUST PROTECTION							
	List your additional rust prevention package above factory installed. Name product: T-Wax							
2401			350	350	350	350	350	350
2402	Paint adhesion and rust protection - 5 years, unlimited miles		N/A	N/A	N/A	N/A	N/A	N/A
2403	Asphalt-based undercarriage undercoating		Std	Std	Std	Std	Std	Std
2404	Wax-based undercarriage undercoating		Duplicate	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate
2405	Rustproofing to be a commercial grade. Spray aerosol can type rustproofing not acceptable RAPTOR		600	600	600	600	600	600
2406	Interior of all panels, where insulation is located, shall be rustproofed [35]		N/A	N/A	N/A	N/A	N/A	N/A
2407	Exterior Body rust protection. List product:		N/A	N/A	N/A	N/A	N/A	N/A
2408	Undercoating. List product:		Duplicate	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate
2409	Bumpers rust protection. List product: Blue Bird armor		350	350	350	350	350	350
2410	Fuel Tank rust protection. List product: T-Wax [36]		180	180	180	180	180	180
2411	Stepwell rust protection. List product: Stainless steel		411	411	411	411	411	411
2412	No Rust Body Panels		N/A	N/A	N/A	N/A	N/A	N/A
2413	No Rust Hood		Std	Std	Std	Std	Std	Std
2414	No Rust Wheel Wells		N/A	N/A	N/A	N/A	N/A	N/A
2415	No Rust One Piece Roof		N/A	N/A	N/A	N/A	N/A	N/A

2416	No Rust Battery Box		N/A	N/A	N/A	N/A	N/A	N/A
2417	No Rust One Piece Stepwell		N/A	N/A	N/A	N/A	N/A	N/A
2418	Other:							
2419								
2420								
2421								
2500	SEAT BELTS/SEATS/FOAM							
2501	25" knee clearance		Std	Std	Std	Std	Std	Std
2502	39" seats		Std	Std	Std	Std	Std	Std
2503	42" seats with 12" aisle		N/A	N/A	N/A	N/A	N/A	N/A
2504	Cost for one seat three seat belts installed color coded		82	82	82	82	82	82
2505	Cost for one seat two seat belts installed color coded		N/A	N/A	N/A	N/A	N/A	N/A
2506	Cost per seat to make seat belt ready		60	60	60	60	60	60
2507	Cost to make all seats, seat belt ready		940	1075	1315	1435	1554	
2508	Conversion Seat, 39" - specialized school bus seats that can be converted from standard seats to three point seat belts or to Integrated Child Restraint Seats (ICS) without removing the seats from the bus and modifying the bus floor for needed reinforcements by replacing the complete backs. Seat frames shall meet applicable FMVSS requirements and seat frames shall be capable for installation of type 2 belts and ICS restraint seating.		N/A	N/A	N/A	N/A	N/A	N/A
2509	Number or letter seats above windows NUMBERS		60	60	60	60	60	60
2510	Padded Interior side rails		136	136	136	136	136	136
2511	Seat color Medium Blue		1	1	1	1	1	1
2512	Seat color Brown		1	1	1	1	1	1
2513	Seat color Dark Blue		N/A	N/A	N/A	N/A	N/A	N/A
2514	Seat color Gray		1	1	1	1	1	1
2515	Seat color Green		Std	Std	Std	Std	Std	Std
2516	Seat color Light Blue		N/A	N/A	N/A	N/A	N/A	N/A
2517	Seat color Maroon		1	1	1	1	1	1
2518	Seat Belt Ready for Bolt In Lap Belts NOT wrap around		Duplicate	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate
2519	Seats 1/2" plywood seat bottoms		120	120	120	120	120	120
2520	Seats 3/8" plywood seat bottoms		Std	Std	Std	Std	Std	Std
2521	Seats passenger Kevlar upholstery		N/A	N/A	N/A	N/A	N/A	N/A
2522	Seats staggered (not placed directly across each other)		N/A	N/A	N/A	N/A	N/A	N/A
2523	Triad seat foam		N/A	N/A	N/A	N/A	N/A	N/A
2524	Right front seat to be a seat barrier combination for increased aisle room (30" seat with 39" back to be barrier for second seat)		100	100	100	100	100	100
2525	Districts: Specify if last seat is "full" or "half" for 71 and 77 passengers		Std Full	Std Full	Std Full	Std Full	Std Full	Std Full
2526	Other:		N/C Half	N/C Half	N/C Half	N/C Half	N/C Half	N/C Half
2527	60 passenger body and chassis		N/A	400	N/A	N/A	N/A	N/A
2528	77 Passenger BBCV 3310 Deduct		N/A	N/A	N/A	N/A	-232	
2600	SEAT, DRIVER'S							
2601	Adjustable seat back, LUMBAR support		Std	Std	Std	Std	Std	Std
2602	Driver seat standard air ride. List Brand and seat covering: National Vinyl		150	150	150	150	150	150
2603	Driver seat premium air ride. List Brand and seat covering: Bostrom Vinyl		230	230	230	230	230	230
2604	Does premium air ride seat include armrests? No List number of armrests:							
2605	Driver seat standard pedestal. List Brand and seat covering: National Vinyl		Std	Std	Std	Std	Std	Std
2606	Driver seat premium pedestal. List Brand and seat covering: Bostrom Vinyl		105	105	105	105	105	105
2607	Does premium pedestal seat include armrests? No List number of armrests:							
2608	Driver's seat armrests option. List sides: RH		26	26	26	26	26	26
2609	Driver's adjustable shoulder harness		Std	Std	Std	Std	Std	Std
2610	Driver's high visibility orange safety adjustable shoulder harness		1	1	1	1	1	1
2611	Fabric driver's seat, non-flammable		20	20	20	20	20	20
2612	Front barrier cover with pouches for driver's papers to match interior color. State # of pouches: five		85	85	85	85	85	85
2613	Heated Driver's Seat air		253	253	253	253	253	253
2614	Heated Driver's Seat hydraulic		N/A	N/A	N/A	N/A	N/A	N/A
2615								
2616	Adjustable pedals, factory installed		765	765	765	765	765	765
2617	Tilt steering		Std	Std	Std	Std	Std	Std
2618	Tilt/Telescopic steering		Std	Std	Std	Std	Std	Std
2619	Front barrier cover with single pouch		Std	Std	Std	Std	Std	Std
2620	Other:							
2621								
2700	SIDE RAILS/PANELS							
2701	16 gauge smooth exterior panels		360	360	360	360	360	360

2702	Black snow rail		Std	Std	Std	Std	Std	Std
2703	Full length and acoustical headliner		Std	Std	Std	Std	Std	Std
2704	Rub rail above rear bumper		55	55	55	55	55	55
2705	Rubber fender extensions rear, only		103	103	103	103	103	103
2706	Rubber fenders, rear	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate
2707	Seal top of all rub rails		115	115	115	115	115	115
2708	Snow Rail	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate
2709	No Rust Composite Side Panels	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate
2710	Other:							
2711								
2712								
2713								
2800	SILICONE RADIATOR/HEATER HOSES							
2801	Constant torque hose clamps		115	115	115	115	115	115
2802	Heater hoses, silicone		313	313	313	313	313	313
2803	Radiator hoses, silicone		111	111	111	111	111	111
	Premium Rubber Hoses Unsealed in Lieu of Silicone Hoses [37]		Std	Std	Std	Std	Std	Std
2804	Other:							
2805								
2806								
2807								
2900	STOP ARM/CROSSING ARM							
2901	Air operated Stop Arm with LED lamps		Std	Std	Std	Std	Std	Std
2902	Air operated Stop Arm with LED strobe lamps		165	165	165	165	165	165
2903	Air operated Stop Arm with Standard lamps		65	65	65	65	65	65
2904	Air operated Stop Arm, Dual Signs		245	245	245	245	245	245
2905	Air operated Stop Arm, Dual Signs, LED Strobing		395	395	395	395	395	395
2906	Electric Stop Arm with LED lamps		75	75	75	75	75	75
2907	Electric Stop Arm with LED lamps, Transpec		200	200	200	200	200	200
2908	Electric Stop Arm with LED strobe lamps		100	100	100	100	100	100
2909	Electric Stop Arm with Standard lamps		-20	-20	-20	-20	-20	-20
2910	Electric Stop Arm, Dual Signs		375	375	375	375	375	375
2911	Electric Stop Arm, Dual Signs, LED Strobing		420	420	420	420	420	420
2912	Latch/magnet for crossing arm/gate		N/A	N/A	N/A	N/A	N/A	N/A
2913	Solid Fiberglass Air Crossing Gate Mounted on Front Bumper. State Brand:		N/A	N/A	N/A	N/A	N/A	N/A
2914	Solid Fiberglass Electric Crossing Gate Mounted on Front Bumper. State Brand:		N/A	N/A	N/A	N/A	N/A	N/A
2915	Specialty Mfg. Solid Fiberglass Air Crossing Gate Mounted on Front Bumper		295	295	295	295	295	295
2916	Specialty Mfg. Solid Fiberglass Electric Crossing Gate Mounted on Front Bumper		290	290	290	290	290	290
2917	Other:							
2918								
2919								
2920								
3000	STORAGE COMPARTMENTS, INTERIOR							
3001	Flares behind driver's seat		20	20	20	20	20	20
3002	Glove box, bulkhead without lock [38]		N/A	N/A	N/A	N/A	N/A	N/A
3003	Over windshield with a flush mounted camera box		N/A	N/A	N/A	N/A	N/A	N/A
3004	Personal items storage box with lock over driver		91	91	91	91	91	91
3005	Personal items storage box without lock next to driver		Std	Std	Std	Std	Std	Std
3006	Personal items storage box without lock over driver		90	90	90	90	90	90
3007	Safety equipment behind driver's seat or under first curbside passenger seat		20	20	20	20	20	20
3008	Safety equipment compartment, above windshield and labeled "Safety Equipment Inside"		Std	Std	Std	Std	Std	Std
3009								
3010	Other:							
3011								
3012								
3100	STORAGE COMPARTMENTS, EXTERIOR							
3101	Door locks per door		Std	Std	Std	Std	Std	Std
3102	Double left side. List size: 22.7 cf		N/A	N/A	791	791	791	
3103	Double right side. List size: 22.7 cf		N/A	N/A	790	790	790	
3104	Single left side. List size: 16 cf		N/A	531	531	531	531	
3105	Single right side. List size: 16 cf		N/A	530	530	530	530	
3106	Composite luggage compartment 150.7 x 21.7 x 30.25 (276")		N/A	N/A	N/A	N/A	N/A	N/A
3107	Composite luggage compartment 128.7 x 21.7 x 30.25 (254")		N/A	N/A	N/A	N/A	N/A	N/A
3108	Door assist cylinder, price per door		76	76	76	76	76	76
3109	Other:							
3110	Double compartment 28.4 cf		N/A	N/A	865	865	865	
3111	All compartments and locations must be verified for fit and location							
3200	STUDENT DETECTION SYSTEM							

3201	Child Reminder System. State brand: Doran		95	95	95	95	95	95
	Child Reminder System unloading delay option. State brand:							
3202		N/A	N/A	N/A	N/A	N/A	N/A	N/A
3203	Please list other option packages:							
3204								
3205								
3206								
3207								
3300	WARRANTIES, EXTENDED WARRANTIES							
3301	See Warranties Page, Appendix E, for pricing							
3302								
3400	WHEELS, RIMS, TIRES							
3401	See Tires page, Appendix D, for pricing							
3402								
3500	WINDOWS/WINDSHIELD							
3501	One gallon washer fluid reservoir	Std	Std	Std	Std	Std	Std	Std
3502	Six quart washer fluid reservoir	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Thermopane price per window. List which pieces are thermopane: windshield, driver window, door panels, etc.)							
3503		150	150	150	150	150	150	150
	Tinted windows. List which windows are included in price:							
3504		1	1	1	1	1	1	1
3505	Windshield one piece	N/A	N/A	N/A	N/A	N/A	N/A	N/A
3506	Windshield two piece curved	80	80	80	80	80	80	80
3507	Windshield three piece	N/A	N/A	N/A	N/A	N/A	N/A	N/A
3508	Windshield four piece flat	Std	Std	Std	Std	Std	Std	Std
3509	Cost of two additional emergency windows (total of 4 emergency windows on bus)	87	87	87	87	Std		
3510	PLEASE LIST AVAILABLE DEGREE OF TINTED GLASS:							
3511	Tinted Driver's Window	70% Std	70% Std	70% Std	70% Std	70% Std	70% Std	70% Std
3512	Tinted Rear Window	28% 62	28% 62	28% 62	28% 62	28% 62	28% 62	28% 62
3513	Raised passenger window line	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Tinted Entrance Door [39]	70% Std	70% Std	70% Std	70% Std	70% Std	70% Std	70% Std
	Powdercoated Black Window Frames [40]	120	120	120	120	120	120	120
3514	Other:							
3515								
3516								
3600	WIRING							
3601	NOTE TO DISTRICTS: You may want to think about pre-wiring for future installs							
3602	As-Built Wiring Schematics	Std	Std	Std	Std	Std	Std	Std
3603	Color-coded numbered wiring	Std	Std	Std	Std	Std	Std	Std
	Multiplex wiring package. State wires included: Chassis							
3604		Std	Std	Std	Std	Std	Std	Std
	Pre-Wire for 2-way radio. State harness location: Dash							
3605		35	35	35	35	35	35	35
	Wiring for camera, only. State harness location: Dash							
3606		80	80	80	80	80	80	80
	Wiring harness for GPS system, without GPS system. State harness location: Dash							
3607		265	265	265	265	265	265	265
3608	Wireless access points for Wi-Fi capability	N/A	N/A	N/A	N/A	N/A	N/A	N/A
3609	Other:							
3610								
3611								
3700	OTHER OPTIONS							
3701	Air horns	107	107	107	107	107	107	107
3702	Air horns, foot control [41]	N/A	N/A	N/A	N/A	N/A	N/A	N/A
3703	All keys alike	7	7	7	7	7	7	7
3704	Chrome radiator grill	N/A	N/A	N/A	N/A	N/A	N/A	N/A
3705	Exhaust exit left-hand side ahead of rear wheels	N/A	N/A	Std	Std	Std	Std	Std
3706	Exhaust exit under rear bumper, turned down	Std	Std	100	100	100	100	100
3707	Mudflap, Full width at rear bumper in addition to standard 4	300	300	300	300	300	300	300
3708	Mudflap, Full width to be mounted at rear bumper	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate
3709	Mudflap, Single Full width at rear axle	200	200	200	200	200	200	200
3710	Mudflaps, additional mudflaps to be mounted in front of rear wheels	25	25	25	25	25	25	25
3711	Mudflaps, front (pair) [42]	Std	Std	Std	Std	Std	Std	Std

3712	Pre-heater box to be located adjacent to battery box		447	447	447	447	447	447
3713	Stainless steel "U" Exhaust Clamps		N/A	N/A	N/A	N/A	N/A	N/A
3714	Stainless steel grill		N/A	N/A	N/A	N/A	N/A	N/A
3715	Tire Chains [43]		1760	1760	1760	1760	1760	1760
3716	Other:							
3717	Stainless steel exhaust		110	110	110	110	110	110
3718								
3719								
3720								
3721								
3722								
3723								
3724								
3800	HANDICAPPED BODY OPTIONS							
3801	In this BOLDDED section below, include your pricing for all of the options listed. All lifts MUST be ADA compliant.							
3802	DISTRICTS - !!!!!NOTE!!! The bus body and chassis is to be equipped for Handicapped Use. DISTRICTS ARE TO SUBMIT a Floor Plan as to the seating and the Placement of Wheelchairs. Note location of Heater Boxes and Wheel Wells if the bus is not equipped with a flat floor. Show plan for amount of forward-Facing Wheelchairs, with an approximate capacity of remaining ambulatory students allowable for each size vehicle. Wheelchair lift location specified by the District, however, typical at curb side rear for the purpose of the drawing. DISTRICTS MUST CONFIRM WITH VENDOR THEIR DESIGN SPECIFICATIONS PRIOR TO ORDERING BUS.							
3803	VENDORS - !!!!!NOTE!!! The bus body and chassis is to be equipped for Handicapped Use. (FLOOR TRACK MUST BE "THROUGH BOLTED" WITH GRADE #5 BOLTS OR BETTER WITH REINFORCING OR WASHERS ON UNDERSIDE OF FLOOR PAN. SCREW TYPE FASTENERS NOT ACCEPTABLE). Price should include lift, lift door, lighting, interlocks, brake interlock, holddown for 1 position and ONE wheelchair position across from the lift.		4800	4800	4800	4800	4800	4800
3804	30" Track mounted seat - Each		25	25	25	25	25	25
3805	36" Track mounted seat - Each		N/A	N/A	N/A	N/A	N/A	N/A
3806	39" Track mounted seat - Each		25	25	25	25	25	25
3807	4"x4" H/C decal on L/Front body cowl and 8"x8" H/C decal on R/Rear with white backing		10	10	10	10	10	10
3808	Additional interior light and switch at lift area for lift door and light		25	25	25	25	25	25
3809	Braun option 34" platform, State model: L919		4800	4800	4800	4800	4800	4800
3810	Braun 1000 lb. lift		5000	5000	5000	5000	5000	5000
3811	Cost per additional wheelchair station (inc. track and 7-point hold down) Note: 2 wheelchair positions need wall-mount heaters		N/A	N/A	N/A	N/A	N/A	N/A
3812	Exterior lamp mounted above lift door		N/A	N/A	N/A	N/A	N/A	N/A
3813	Flat floor (requires flat floor chassis, low profile tires, flat floor and rear air suspension or spring suspension. See Line number 904 for pricing)							
3814	Interior ceiling lamp over lift area		Std	Std	Std	Std	Std	Std
3815	Interior ceiling lamp over lift area comes on automatically when door opens		Std	Std	Std	Std	Std	Std
3816	One work light per wheelchair securement area, wall-mounted under chair rail, under seats		150	150	150	150	150	150
3817	Price difference for a front mounted lift		300	300	300	300	300	300
3818	Recessed floor track covers		N/A	N/A	N/A	N/A	N/A	N/A
3819	Recessed floor track L-track for track seating per wheelchair position		560	560	560	560	560	560
3820	Recessed floor track L-track full length both sides		3800	4100	4700	5400	5800	
3821	Ricon option 34" platform, State model: S5005		4850	4850	4850	4850	4850	4850
3822	Ricon 1000 lb. lift		5150	5150	5150	5150	5150	5150
3823	Sealed plywood floor track grooves prior to installation of floor track		N/A	N/A	N/A	N/A	N/A	N/A
3824	Stainless steel fasteners to secure track to floor		N/A	N/A	N/A	N/A	N/A	N/A
3825	Two (2) 4" flush mounted LED exterior lamps mounted under lift door to be activated by lift door operation		140	140	140	140	140	140
3826	Upholstered header pad mounted above lift door		N/A	N/A	N/A	N/A	N/A	N/A
3827	Other:							
3828								
3829								
3830								
3831								
3832								
3900	WHEELCHAIR RESTRAINT COST PER CHAIR							
3901	Kinedyne, overcenter "S" hook		N/A	N/A	N/A	N/A	N/A	N/A
3902	Kinedyne, posi-lock "D" loop		N/A	N/A	N/A	N/A	N/A	N/A
3903	Pricing for one set of tie down restraints		250	250	250	250	250	250
3904	QRTMAX (no knobs)		300	300	300	300	300	300
3905	Q-Strait Lap/Shoulder restraint model #Q8-6325-L. Include four (4) sets of ratcheting Q-Strait wheelchair securement with shoulder harness for "A" track		N/A	N/A	N/A	N/A	N/A	N/A
3906	Q-Strait ISO latch system, per position		N/A	N/A	N/A	N/A	N/A	N/A

3907	Q-straint, state model:		N/A	N/A	N/A	N/A	N/A	N/A
3908	Q-straint, state model:		N/A	N/A	N/A	N/A	N/A	N/A
3909	Quick Straps, One pair (2)		25	25	25	25	25	25
3910	Restraint storage pouch		15	15	15	15	15	15
3911	Shoulder harness track per wheelchair station to have a multi-attachment track system. Track shall be installed continuously above the passenger windows in all areas where wheel chairs could be secured and run concurrently with a "chair rail" mounted track to accommodate the wheel chair occupant shoulder restraint.		N/A	N/A	N/A	N/A	N/A	N/A
3912	Shoulder restraint retractable		Std	Std	Std	Std	Std	Std
3913	Sure-Lok, state model:		N/A	N/A	N/A	N/A	N/A	N/A
3914	Sure-Lok, state model:		N/A	N/A	N/A	N/A	N/A	N/A
3915	Wheelchair track "flanged button track" recessed in floor. Four floor mounted and 1 mounted over windows full length of bus, both sides [44]		N/A	N/A	N/A	N/A	N/A	N/A
3916	Other:							
3917								
3918								
4000	STUDENT RESTRAINT-AMBULATORY STUDENT, C.E. WHITE							
4001	Cost of barrier for placing CR-30 in a first row seat. State weight limit:		No charge	No charge	No charge	No charge	No charge	No charge
4002	Cost of barrier for placing CR-39 in a first row seat. State weight limit:		No charge	No charge	No charge	No charge	No charge	No charge
4003	Cost of CR-30 seat foam		N/A	N/A	N/A	N/A	N/A	N/A
4004	Cost of CR-30 seat cover		N/A	N/A	N/A	N/A	N/A	N/A
4005	Cost of CR-30 installed. State weight limit:		400	400	400	400	400	400
4006	Cost of CR-30 shipped, but not installed. State weight limit: 85		N/A	N/A	N/A	N/A	N/A	N/A
4007	Cost of CR-30 with seat belts shipped, not installed		N/A	N/A	N/A	N/A	N/A	N/A
4008	Cost of CR-39 seat foam		N/A	N/A	N/A	N/A	N/A	N/A
4009	Cost of CR-39 seat cover		N/A	N/A	N/A	N/A	N/A	N/A
4010	Cost of CR-39 installed. State weight limit: 85		600	600	600	600	600	600
4011	Cost of CR-39 shipped, but not installed. State weight limit:		N/A	N/A	N/A	N/A	N/A	N/A
4012	Cost of CR-39 with seat belts shipped, not installed		N/A	N/A	N/A	N/A	N/A	N/A
4013	CR-30: permanent mount, with lap belts - each		425	425	425	425	425	425
4014	CR-30: Track mounted; no seat belts, price per each / requires track.		425	425	425	425	425	425
4015	CR-30: Track mounted; with seat belts, price per each / requires track.		450	450	450	450	450	450
4016	CR-39: permanent mount, with lap belts - each		625	625	625	625	625	625
4017	CR-39: Track mounted; no seat belts, price per each / requires track.		625	625	625	625	625	625
4018	CR-39: Track mounted; with seat belts, price per each / requires track.		650	650	650	650	650	650
4019	Other:							
4020								
4021								
4022								
4023								
4024								
4025								
4100	NON-SCHOOL BUS OPTIONS							
4101	Bus is built same as school bus but will not have 8-way light system, swing-out stop sign and will not be painted yellow. All lettering as required by State law for school buses will be omitted.		N/A	N/A	N/A	N/A	N/A	N/A
4102	Insulation all sides, roof shafts, front and rear panels and all roof bows [45]		N/A	N/A	N/A	N/A	N/A	N/A
4103	Auxillary port in dash for cell phone [46]		N/A	N/A	N/A	N/A	N/A	N/A
4104	Window sash all black. Exterior and between windows shall be painted black [47]		N/A	N/A	N/A	N/A	N/A	N/A
4105	Front interior A/C blower in front bulkhead [48]		N/A	N/A	N/A	N/A	N/A	N/A
4106	Rear interior A/C blower in rear bulkhead [49]		N/A	N/A	N/A	N/A	N/A	N/A
4107	A/C roof-mounted condenser; 120,000 BTUs or greater [50]		N/A	N/A	N/A	N/A	N/A	N/A
4108	COLOR OPTIONS							
4109	Per district's spec. Districts, please supply color specifications, including color(s), placement and dimensions. Sketches are helpful. Please attach.		N/A	N/A	N/A	N/A	N/A	N/A
4110								
4111								
4112	REFLECTIVE TAPE							
4113	Per district's spec. Districts, please supply color specifications, including color(s), placement and dimensions. Sketches are helpful. Please attach.		N/A	N/A	N/A	N/A	N/A	N/A
4114								
4115								
4116								
4200	NEW: APPROVED OPTION LIST FOR OHIO SCHOOL BUS							
4201	Rear Window Air Dam		N/A	N/A	N/A	N/A	N/A	N/A

4202	Speed Retarder System		N/A	N/A	N/A	N/A	N/A	N/A
4203								
4204								
5000	ANY OTHER ADDITIONAL OPTIONS (list below)							
5001	Auxillary port in dash for cell phone [51]	Std	Std	Std	Std	Std	Std	Std
5002	Composite trash can compartment	38	38	38	38	38	38	38
5003	Cup holder	33	33	33	33	33	33	33
5004	Door switch on left panel (not on steering wheel) [52]	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate	Duplicate
5005	Extra insulation firewall and roof bows [53]	Std	Std	Std	Std	Std	Std	Std
5006	E-Z Grip parking brake cover	5	5	5	5	5	5	5
5007	Glove box dash mounted with door	57	57	57	57	57	57	57
5008	Grill painted silver	52	52	52	52	52	52	52
5009	Install 6 chrome work lights - wall mounted under chair rail, Install switch in driver panel. 6 lights min.	260	260	260	260	260	260	260
	Install rear left and right heaters - 84,500btu each - verticle mount in protective metal cage. Ipaneer Switches in dr	N/A	N/A	N/A	N/A	N/A	N/A	N/A
5010	LH arm rest on switch panel	20	20	20	20	20	20	20
5012	Loom battery cables	11	11	11	11	11	11	11
5013	Rub rails painted black full width	85	85	85	85	85	85	85
5014	Second set of logos decals, rear mounted	50	50	50	50	50	50	50
5015	Warning light switch on left panel	Std	Std	Std	Std	Std	Std	Std
5016	Ford 6.8 Liter, Gasoline, Automatic transmission	-2500	-2500	-2500	-2500	-2500	-2500	-2500
5017								
5018								
5019	Note: Not all options are available together and the selection of one option may							
5020	require another option. When conflicts arise the school will be contacted on							
5021	how they would like to proceed before we accept the order.							
5022	In keeping with its policy of continual product improvement, Blue Bird reserves							
5023	the right to change specifications without notice and without incurring obligations.							
5024	Units meet all Federal and State schools bus specifications.							
5025								
5026	10 YEAR CUMMINS WARRANTY			700				
5027	DELIVERY DISCOUNT			-200				
5028				\$85,145.00				